




INDUSTRIAL GARMENT SEWING MACHINES

Perfect
Choice of
Professionals



KEERTHY SURESH
ACTOR

 usha_care@usha.com

 [@ushasewofficial](https://www.facebook.com/ushasewofficial)

 [@ushasewofficial](https://www.instagram.com/ushasewofficial)


 [@ushasewofficial](https://twitter.com/ushasewofficial)


HOME
SERVICE



1% OF EVERY SALE CONTRIBUTES
TO WOMEN EMPOWERMENT.
www.ushainitiatives.com

*T&C Apply



USHA 747E


Two Needle Four Thread Direct Drive Over lock Machine

Features:

- Environment friendly power efficient direct drive in-built motor.
- Forced feed oil return system at needle bar prevents needle overheating & thread breakage.
- Push button type stitch length adjustment.
- Differential feed dog for accurate fabric feed prevents twisting & ply shifting of fabric being sewn.
- Maximum speed: 6000 SPM (Stitches per Minute).
- Maximum stitch length: 3.6 mm.
- Maximum presser foot lift: 6 mm.
- No. of needles: two.
- No. of threads: four.
- 3 Years Warranty on PCB and Motors

Applications:

- Suitable for over edging of knit fabric and sports wear.
- Suitable for light to medium fabric for stitching after cutting the edges of a fabric.



USHA 757E

Two Needle Five Thread Direct Drive Overlock Machine

Features:

- Two needle five thread direct drive overlock machine.
- Environment friendly power efficient direct drive in-built motor.
- Forced feed oil return system at needle bar prevents needle overheating & thread breakage.
- Push button type stitch length adjustment.
- Differential feed dog for accurate fabric feed prevents twisting & ply shifting of fabric being sewn.
- Maximum speed: 6000 SPM (Stitches per Minute).
- 3 Years Warranty on PCB and Motors

Applications:

- Suitable for over edging of woven & non-woven fabric and sports wear
- Suitable for light to medium fabric for stitching after cutting the edges of a fabric.



USHA S2

Single Needle Lock Stitch Direct Drive Machine

Features:

- Environment friendly power efficient direct drive in-built motor.
- Maximum speed: 5000 SPM (Stitches per Minute).
- 5 mm maximum stitch length.
- Presser bar lift by knee: 5.5/13 mm
- Programmable sewing speed
- Push button for half stitch function
- Copper winding motor.
- LED type needle light.
- Auto lubrication.
- Needle position (Up/Down).
- Broader reverse lever for better grip.
- Better position of touch panel for ease of use
- 3 Years Warranty on PCB and Motors

Applications:

- Suitable for stitching on light to medium fabric.



Usha International Ltd.

Plot No. 15, Institutional Area, Sector 32, Gurugram- 122 001, Haryana.
Registered Office: Surya Kiran Building, 19, K.G. Marg, New Delhi - 110001

USHA care[®]
Toll Free 1800 1033 111



www.ushasew.com